

www.bakersfieldplasticsurgery.com

Hootan M. Daneshmand, MD

American Board of Plastic Surgery

27462 Portola Pkwy., Suite 100 Foothill Ranch, CA 92610

Tel: (949) 727-9099 Fax: (949) 727-2030 5959 Truxtun, Suite 100 Bakersfield, CA 93309

Tel: (661) 326-7500 Fax: (949) 727-2030

PATIENT NAME:	AGE:	CHART NO:
It is my goal to provide you with some information. Please take the time to read this information and a Additional information is available in the office an	eel free to ask any questions during yo	
www.ocplasticsurgeons.com www.doctordaneshmand.com	Dr	. Daneshmand

	Facelift Consultation
	racenni Consonanon
OF LED AL	- 6
GENERAL	▼ Surgery you do not need▼ Totally / purely elective surgery
	 ▼ Iotally / purely elective surgery ▼ Long consultation / realistic expectation
	▼ Key to success
	▼ Why you are here - mirror
	- This you are here minion
CHANGES	▼ Deterioration / aging
UNAVOIDABLE	▼ Gravity
	▼ Ethnic group / familial tendency
AVOIDABLE	▼ Sun
	▼ Weight
WHY HAVE THIS OPERATION	Self. Not for others. Repair / Maintenance. Vision (?).
WHAT IS USUALLY	▼ Lower face neck more than upper
HELPED BY A FACELIFT	▼ Some wrinkles / not all
TIELED DI ATACELITI	▼ Contour - if due to loose skin or excess
WHAT WILL NOT	▼ Forehead / eyes / upper lip (options?)
BE HELPED	▼ Some wrinkles will remain (options?)
DE TIELI ED	▼ Skin blemishes, scars
	▼ Aging process
GOALS	▼ Make you look as good as we can FOR YOUR AGE.
	▼ Make eyes look less tired and / or sad (if due to "bags" and excess skin).
	▼ Put skin back to the proportion that it was when you were younger.

▼ Cannot recreate young skin **LIMITATIONS** ▼ Cannot prevent continued aging ▼ Cannot alter developmental asymmetries ▼ Cannot solve personal problems GOALS MAY ONLY BE PARTIALLY MET Usually 5-10 years (sometimes less / more) until present condition has recurred. **HOW LONG WILL IT LAST?** ▼ No surgery (adverse consequences?) **ALTERNATIVES** ▼ Skin care, chemical peels, laser resurfacing, Botox, fillers such as Restylane ▼ Fat injection, liposuction ▼ Facelift surgery on younger patient - less extensive surgery ▼ Facelift surgery on older patient or heavy neck - more extensive surgery Sometimes combined with other procedures (eyes, forehead, peel, collagen, chin implant, other) ▼ Local anesthesia and sedation vs. general anesthesia SURGICAL TECHNIQUES, ▼ Outpatient surgery center or hospital ANESTHESIA, FACILITY ▼ Incisions / muscle and facial repair / removal of fat & RECOVERY Dressings ▼ Post-Op hospitalization (optional) Return to normal activities ▼ Discomfort (pain / sensitivity) TRADE OFFS ▼ Discoloration / swelling **USUALLY TEMPORARY** Numbness ▼ Tightness / relaxation ▼ Lumps / irregularities Psychological depression Restricted activity **PERMANENT** Scars Altered hair line Numbness, nerve injury ▼ Minor small skin loss (especially in smokers**) **RISK / COMPLICATIONS** Loss of hair around an incision **MINOR** Ear lobe distortion Reaction to medications Residual fat / fullness ▼ Bleeding / blood collection** **MAJOR** ▼ Infection ▼ Facial paralysis - nerve injury ▼ Large skin loss requiring grafting Reaction to medications

Even though the risks and complications cited above occur infrequently, **EVEN THOUGH...** they are the ones that are peculiar to this operation or of greatest concern. Other complications and risks can occur but are even more uncommon. The risks of surgery are comparable to the risks you take everyday when driving or riding in an automobile. Additional surgery ANY AND ALL OF THE RISKS Hospitalization AND COMPLICATIONS ▼ Time off work **CAN RESULT IN** ▼ Expense to you Insurance usually does not cover this procedure. Treatment of complications **INSURANCE** may or may not be covered by insurance. On occasion, surgical revision may be indicated following the original surgery. If planned or performed within one (1) year after the original surgery, and if insurance does not cover these revisions, there will be a small charge by the surgeon, anesthesia department and OR facility. The practice of medicine and surgery is not an exact science. Although good **NO GUARANTEE** results are expected, there cannot be any guarantee or warranty, expressed or implied, by anyone as to the results that may be obtained. ** If a smoker – Must be off cigarettes for SIX (6) weeks before surgery and remain off cigarettes for SIX (6) weeks after surgery. Much greater risk for scarring, poor healing, hair loss and skin loss in smokers. ** Must be off all aspirin containing products for two (2) weeks before surgery and for two (2) weeks after surgery. (Check all medications with us. Some medications such as Motrin and Advil may also affect clotting.) If there is any item or items on this consultation sheet that you do not **QUESTIONS** understand, mark it and call the office. An explanation or additional information will be provided. Share the information we provide to you with interested family members or friends. I will be happy to meet with them if you wish. All questions and uncertainties should be answered and clarified prior to your surgery. A WELL INFORMED PATIENT IS A HAPPY PATIENT!

DATE:	Copied and provided to patient by:		
A	sultation was provided to me:		
A copy of this cons	suitation was provided to me.		
		(Patient's signature)	